


Source: Oregon Behavioral Risk Factor Surveillance System Race Oversample, 2015–2017. Unpublished data

Percentage of adult cigarette smoking by sexual orientation, Oregon, 2014-2017



Source: Oregon Behavioral Risk Factor Surveillance System. Unpublished data.

Percentage of adult cigarette smoking, by select demographic groups, Oregon 2018

	Percent (%)	
Annual household income		
Less than \$20,000	31.3	
\$20,000-\$49,999	21.2	
\$50,000 or more	9.1	
Education		
Less than high school graduation	29.4	
High school graduate or GED	22.1	
Some college	17.4	
College graduate	6.4	

Source: Oregon Behavioral Risk Factor Surveillance System. Unpublished data.

Percentage of adult cigarette smoking, by select demographic groups, Oregon 2018


	Percent (%)	
Insurance		
Currently on the Oregon Health Plan (OHP)	34.1	
No health insurance	28.1	
Have health insurance (other than OHP)	12	
Residency		
Urban	15.3	
Rural	21.6	

Source: Oregon Behavioral Risk Factor Surveillance System. Unpublished data.

Percentage of adult cigarette smoking, by select demographic groups, Oregon 2018

	Percent (%)	
Reporting mental health not good for seven or more days in the past 30 days		
Experiencing poor mental health	25.8	
Not experiencing poor mental health	13.8	

Percent of cigarette smoking or any tobacco use* among people poor mental health** by insurance type, 2018



^{*} Any tobacco use includes cigarettes, little cigars, large cigars, hookah, electronic cigarettes or smokeless tobacco use.

Estimates reflect the self-reported experiences of those surveyed and are not generalizable to the Oregon population.

Data source: Oregon Behavioral Risk Factors Surveillance System

^{**} Poor mental health is having 14 or more days in the past 30 days where mental health was not good.

